Reactis V2012.2

Released December 19, 2012





New Simulink Support

- MATLAB R2012b
- Simplified initialization mode
- Initializing constant blocks with Workspace variables having a structure type



Motivation:

- Assume transmission software can control either:
 - 4 speed transmission with 1st gear ratio of 3.0
 - 5 speed transmission with 1st gear ratio of 3.5
- Previous versions of Reactis:
 - Tag numGears and gearRatio as configuration variables
 - numGears can be 4 or 5; gearRatio can be 3.0 or 3.5
 - But could not specify dependency of gearRatio on numGears, so all combinations used for testing:

numGears	gearRatio
4	3.0
4	3.5
5	3.0
5	3.5




New feature *Configuration Variable Sets* lets you specify dependencies:


- ▶ If numGears = 4 then gearRatio = 3.0
- ▶ If numGears = 5 then gearRatio = 3.5

So we get only the desired combinations:


numGears	gearRatio
4	3.0
5	3.5











Configuration variable set: numGears5

Type

double(3.5)

double(5.0)

Configuration Variable

gearRatio

Configuration variable set: numGears4 Configuration Variable Type gearRatio double(3.0) numGears double(4.0)

numGears 4 Gears 5 Gears



Other Enhancements

- Faster model initialization
- Capability for administrator to disconnect user from license manager in order to free license